



# Die Robusten, Teil 2

## The Solid Case, Part 2



### Die Robusten II

(Produktlinie MU)

**Konzeption: besonders robuste Koffer zum alltäglichen Einsatz im persönlichen Umgang mit Gütern von Eigengewichten zwischen ca. 10 und 25 kg.**

Bauformen: beliebige in mittlerer Größe (vgl. S. C2 - C5)

Trägermaterial: Sperrholz, 6 mm

Oberflächen: Es stehen die Alu-Stucco und alle farbigen ABS-Oberflächen (s. innere hintere Umschlagseite) zur Verfügung.

Eckenschutz: 1,5 mm starke Stahl-Kugelschutzecken, (Die Kugelform der Stahlecken bewirkt, daß die bei starken Stößen auftretenden Kräfte in die Seitenflächen abgeleitet, sowie ggf. durch Verformung der Kugel in ihren

Hohlraum hinein absorbiert werden.)

Kantenschutz: Alu-Winkelprofile, 30x30x1,5 mm

Verschlusssystem: Aufsatzverschlüsse stabilster Bauweise, Alu-Verschlussprofile, 4-fach vernietete große Schließwinkel.

Scharniere: aufgesetzte Aufstell- oder Aushängescharniere.

Griffe: Schwerlast-Riemengriff, ggf. ergänzt mit Aufsatz-Stahlklappgriffen.

Stellsystem: gleitfähig durch Kugel-ecken; Kofferformen scharnierseitig Gummifüße; Einbau von Eckrollen möglich.

Inneneinrichtungen und Optionen s. S. C18 - C23.

### The Solid Case II

(MU Product line)

**Design: particularly sturdy suitcases for individual use and loads between approx. 10 and 25 kg.**

Types: Various medium sizes (cf. pp. C2 - C5)

Material: Plywood, 6 mm.

Surface: Aluminium stucco and all colour ABS finishes (see inside back cover) available.

Corner protectors: 1.5 mm steel ball corners (The ball shape of the steel corners ensure that in case of an impact, the forces applied to them will be deviated to the side panels or will be absorbed in the hollow due to the deformation of the balls).

Edge protection: Aluminium angle sections, 30 x 30 x 1.5 mm.

Locking system: Solid surface-mounted latches, aluminium location extrusion, 4-fold riveted braces.

Hinges: Foldable or hooked hinges.

Handles: heavy-duty handle, optionally supplemented by mountable steel flip handles

Support: Sliding due to ball corners; cases with rubber feet at hinge side, corner casters optionally available.

Interior and options: (See pp. C18-C23).

